

FIG. 1




FIG. 2

| 31 session identifier | 32 protocol | 33 source IP address | 34 destination IP address | 35 source port number | 36 destination port number | 37 session label | | 38 server |
|-----------------------------|----------------|----------------------------|---------------------------------|--------------------------------|----------------------------------|---------------------|-----|--------------|
| | | | | | | C2S | S2C | |
| 1 | TCP | 126.254.1.100 | 176.100.10.1 | 2001 | 80 | 401 | 402 | server 1 |
| 2 | UDP | 126.254.1.100 | 176.100.10.1 | 2002 | 80 | 403 | 404 | server 2 |
| ... | ... | ... | ... | ... | | 2n-1 | 2n | server x |

FIG. 3




FIG. 4

| 51 session label | 52 input port | | 53 output port | |
|------------------------|------------------|------|-------------------|------|
| | line card | port | line card | port |
| | | | | |
| 1001 | LC1 | 1 | LC4 | 2 |
| 1002 | LC4 | 2 | LC1 | 1 |
| | | | | |

FIG. 5




FIG. 6

| session number | session label | | destination server | client | state |
|-------------------|---------------|-----|-----------------------|---------------|------------|
| | C2S | S2C | | | |
| 1 | 1 | 2 | server 1 | 129.254.127.3 | in service |
| 2 | 3 | 4 | server 2 | 131.222.108.8 | in service |
| | 2n-1 | 2n | server x | | |

FIG. 7




FIG. 8